

Find a FONT

Les Earnest

Abstract

Typefaces currently available for the Xerox Graphics Printer are presented herein, warts and all. Procedures for creating, modifying and stealing fonts are discussed.

Table of Contents

Page Section

1	1. Introduction
1	Font Dissemination Policy
1	(In)compatibility
1	Programs that use Font Files
2	Font Manipulation Programs
2	References
3	2. Font Descriptions
3	Organization and Terminology
3	Pixel to Point Conversion
5	3. Variable Width Regular Fonts
5	Baskerville (BAXL30, BASL30, BAXI30, BASI30, BAXM30, BAXB30, BASB30, BASL35)
7	Bocklin (BEESIX, BUCK75)
8	Bodoni (BDJ20, BDR25, BDI25, BDJ25, BDR25X, BDR30, BDI30, BDB30, BDR40, BDI40, BDR66)
11	Clarendon (CLAR30, CLAR40)
12	<i>Coronet</i> (CORON)
12	Countdown (CNT57)
13	Meteor (METS, METSI, METSB, METSBI, METM, METMI, METMB, METMBI, METL, METLI, METLB, METLBI)
16	Microgramma (MICR25)
16	News Gothic (NGR13, NGR20, NGI20, NGR25, NGI25, NGB25, NGR30, NGB30, NGR40L, NGR40, NGB40)
19	Nonie (NONS, NONSI, NONSB, NONSBI, NONM, NONMI, NONMB, NONMBI, NONL, NONLI, NONLB, NONLBI)
22	Old English (OLDENG, XMAS25, XMAS40)
23	Old German (GERM35, GERM70)
23	Original City Lights (CTL25)
23	Playbill (PLAYBI)
24	Quux (QUUV25)
24	SHADOW (SHD40)
24	SIGN (SIGN57, SGN114)



26	4. Fixed Width Regular Fonts
26	<i>Courier</i> (COR20)
26	<i>Delegate</i> (SAIL25)
26	<i>Fix</i> (FIX13, FIX13X, FIX20, FIX25, LPT, FIX25X, FIX30, FIX40)
29	<i>m</i> (GACL16, GACL18, GACL22, GACL25, GACI25, GACB25)
31	Quux (QUUX25)
31	Set 1 (SET1, SET1I)
32	5. Special Fonts
32	<i>APL</i> (APL25)
32	<i>Astrology</i> (ASTR25)
32	<i>Chess</i> (CHS50)
33	<i>Cyrillic</i> (CYR25, CYR30)
33	<i>Decoration</i> (CRTURZ, CORNER)
35	<i>Graphics</i> (GRFX25, GRFX35)
35	<i>Greek</i> (GRK25, GRKL30, GRK30, GRKB30, GRKL40, GRKB40, GRKL50, GRKB50)
37	<i>Hands</i> (FING, FINGA)
38	<i>Hebrew</i> (HBRW25, HBRW40)
39	<i>Mathematics</i> (MATH25, MATH30, MATH40, MATH50, MATH55)
40	<i>Miscellaneous</i> (ZERO30, MS25, MS30, BAXS30)
40	<i>Phonetics</i> (IPA25)
41	<i>Rotated</i> (FIXR13, FIXR16)
41	<i>Scandinavian</i> (SCAN30, ICE34)
42	<i>Seals</i> (STA200, STAN2)
42	<i>Displaced</i> (SUP, SUB)
43	<i>Tengwar</i> (TNG40, TNG75, TNG112)

Page Appendix

45	A. Blacklist (BDJ22, BDJ28, FORN25, KBD25, LG25, LGI25, LGR25, MISC25, MISC30, PLT11, PLT11R, PLUNK, SUBSUB, SUBSUP, SUPSUP)
46	B. Character Codes
47	C. SAIL Font File Format
49	D. Other Places, Other Names
53	E. Regular Font Size Index

Acknowledgement

We are indebted to the people at Xerox PARC who brought the XGP into our world, especially Bob Taylor, and to all those who have contributed to the font collection, especially the A. I. groups at Carnegie-Mellon University and M.I.T., and locals Bruce Baumgart, Brian Harvey, and Tovar.

This work was supported in part by the Advanced Research Projects Agency of the Department of Defense and by the National Science Foundation.

Apology

This note attempts to describe the public fonts available at the Stanford A. I. Lab. *as they are*. In a number of cases they *should* be quite different. Unfortunately, it has not been possible to allocate sufficient resources to tidy things up. Documentation facilities are an interesting sideline, but not our main business. For the most part, we are dependent on volunteers, both here and elsewhere, for the generation and improvement of fonts.

"Here is the whole set! a character dead at every word."
The School for Scandal – Richard Sheridan

"Give ample room, and verge enough, The characters of hell to trace."
The Bard – Thomas Gray

"I'll publish, right or wrong: Fools are my theme, let satire be my song."
English Bards and Scotch Reviewers – Lord Byron

"Publish and be damned." – Duke of Wellington

"'Tis from high life high characters are drawn."
Moral Essays – Alexander Pope

"I feel a little bored; Will some one take me to a Pub?"
Ballade of an Anti-Puritan – Gilbert Chesterton

This is an empty / blank page.

[www . SAILDART . Org](http://www.SAILDART.Org)

Archival re-consturction of 100 dpi XGP binary file
into PDF files

Bruce Guenthe r Baumgart 2019

1. INTRODUCTION

This note describes symbol sets available for our Xerox Graphics Printer. Each symbol is defined by a rectangular bit array, with 1 and 0 representing "black" and "white". [The basic representation should be quite different, but that is another story.]

A font file generally contains a collection of characters of a certain size and style. The standard font files in our system have ".FNT" extensions and are stored in [XGP,SYS]. Most programs that deal with font files default to these values. Users may create and use their own font files. The internal structure of these files, which need not concern the casual user, is described in Appendix C.

Font Dissemination Policy

We have no objection to other University research groups copying our font files. Most other groups in the research community appear to have similar policies. Appendix D is a guide to font theft via the ARPAnet.

Commercial organizations wishing to use our fonts will be expected to pay a licensing fee (negotiable). Only fonts that were created in our laboratory will be considered for licensing by us.

(In)Compatibility

In exchanging documentation files with other organizations, there are a number of potential difficulties. For example, the SAIL character set uses a number of ASCII control codes to represent exotic symbols, to the endless pain of other groups who try to use our software. Appendix B itemizes differences between our code and others.

Not only do character codes vary, but so do XGP adjustments: CMU makes their resolution about 183 pixels/inch; PARC and ISI use 192; we and MIT-AI use 200. Overall, one must worry about differences in

symbol sets, character codes, documentation languages, font files, and XGP resolutions. [Sigh.] Perhaps we will get it together next time.

Programs that use Font Files

Users may write programs that output directly to the XGP as described in the UOO Manual [1]. A more common approach is to prepare a text file for processing by a document compiler, which writes a file containing XGP commands that is XSPOOLed [2].

There are two document compilers currently in use here: Pub [3] and Pox [4]. Pox is substantially faster than Pub and offers somewhat greater freedom in positioning text, but has a rather messy syntax and an incredible array of possible states. Pub has an ALGOL-like syntax and better facilities for dealing with arbitrary source text formats, but is large (50k+ in pass 1) and slow. Neither is the ultimate document compiler.

While the use of multiple fonts can improve the readability of documents, it also imposes a computing load both in compiling and printing. To minimize the system costs, please observe the following rules.

1. Don't declare more fonts than you use.
2. Whenever possible, avoid the use of the larger fonts except in small documents.

For example, if you want to use SIGN57 on the cover and title page of a sizable document, you should compile and print those pages by themselves. For A. I. Memos, there is a Pub macro available that makes covers and title pages [5].

Because of stringent timing requirements in printing on the XGP, the font files are not used directly, but are first "compiled" into a data structure that is well suited to XGP output. The timesharing system takes care of this automatically.

If your document uses too many fonts (requiring more than 65k words of font

storage or more than one minute of elapsed time to compile any one font), the printing task will automatically abort. The latter restriction can often be circumvented by precompiling a font [6]. Compiled font files normally have ".CFT" extensions.

If you suspect that the document compiler of your choice has run amok, use XGPTYP to convert the XGP file into readable commands so that you can see what happened. Say "R XGPTYP" to the Monitor, then "?" for operating instructions.

Font Manipulation Programs

To examine any given font on a Data Disk terminal, say "R DDFONT" and give the font name (e.g., "NGR25").

To generate a sample of any particular font on the XGP, give the command

```
R FCOPY;<font name>/SAMPLE
```

FCOPY can also be used to convert fonts stolen from outside organizations to our font file format, to make fonts fixed width, or to rotate them [7].

To create a new font, use TVFONT [8]. TVFONT can also stretch existing fonts (after polygon conversion) or slant them.

To modify an existing font, use EDFONT [9]. It allows you to draw, rotate, and mirror image fonts up to 40 pixels high. To combine selected characters from two fonts, use EDFONT or COMBIN [10]. If you forget all this, say "HELP FONT" to the system.

If you want to examine or modify font parameters or permute characters and you don't mind living dangerously, use FONT [11].

Please be careful in modifying public fonts. Cleaning up ragged characters is generally OK, but permuting or replacing characters may introduce bugs in existing documents. It is safer to introduce a new font with the

improved character arrangement, declare the old one "obsolescent", and eventually delete it.

References

- [1] Martin Frost, **UWO Manual**, SAILON-55.4, Page 160.
- [2] Brian Harvey and Martin Frost, **Monitor Manual**, SAILON-54.5, Appendix 3, or see file SPOOL.REG [UP,DOC].
- [3] Larry Tesler, **Pub, the Document Compiler**, SAILON-70, September 1972 (out of print); also in file PUB.TES [S,DOC]. Update in file PUB.UPD [S,DOC].
- [4] Robert Maas, **Prototype Overlay Xerographics**, in file POX.XGP [UP,DOC].
- [5] Les Earnest, **COVER**, in file COVER.PUB [SUB,SYS], with description in PUBMAC.LES [UP,DOC].
- [6] Ralph Gorin, **User Font Compiler**, in file UFC.REG [UP,DOC].
- [7] Tovar, **FCOPY**, say "HELP FCOPY" to view the meager documentation.
- [8] Bruce Baumgart, **TVFONT – Television Font Maker**, in file TVFONT.BGB [UP,DOC].
- [9] Tovar, **EDFONT – Font Editor**, in file EDFONT.TVR [UP,DOC].
- [10] Tovar, **COMBINE**, say "HELP COMBIN" for a summary of features.
- [11] Brian Harvey, **FONT**, in file FONT.DOC [1,BH]. To run it, say "RU FONT [S,BH]" (experts only, please).

2. FONT DESCRIPTIONS

This catalog takes a forthright stand against some forms of evil, but compromises with others. *Ad hoc* substitutions in certain character positions are treated as "missing symbols" and the symbols that are there currently are not identified. The purpose is to permit these fonts to be corrected. *If you use ad hoc symbols, you do so at your own risk. Some day they will be replaced by the correct symbols for that font.*

This catalog ignores characters that are "hidden" under control codes such as CR, LF, and ALT. While both Pub and Pox provide facilities for printing these things, it is all a silly business. If one hides alternate characters under CR, for example, why not put them under each letter of the alphabet? Since hidden characters are basically a bad idea, they are not reported below.

While a number of fonts in this catalog are rather ragged or silly, some are too bad for even our loose standards, or have been superseded. Appendix A is a Blacklist of such fonts, with the reason given for each rejection. The expectation is that these fonts will be deleted eventually.

Organization and Terminology

Fonts are organized below on the following basis:

- (1) symbol class (variable width regular, fixed width regular, special symbols),
- (2) typeface (e.g. "Baskerville"),
- (3) size (smallest to largest),
- (4) style (e.g. light, italic, or bold).

The traditional printer's units are the *pica* (1/6 inch) and *point* (1/72 inch). Font heights are given below both in points and in *pixels* (picture cells, i.e. XGP raster units). The "points" height includes an assumed interline spacing of 3 pixels, which is the default value in Pub. The default interline spacing in POX is 0 in simulator mode and 4 pixels in non-simulator mode.

The notation "height = 25 pixels = 20 + 5" means that the font is 25 pixels high, not counting any interline spacing, with 20 above the baseline and 5 below. The *maximum width* is also given in pixels. For a diagram of these parameters and others used to define fonts, see Appendix C.

Pixel to Point Conversion

Our XGP is adjusted to about 200 pixels/inch, which means that 1 "point" is about 2.8 pixels. If you need to make a master that will photographically reduce to a font of a certain size (in points), here is a table of font heights (in XGP pixels) that should be used for various reduction ratios, assuming an interline spacing of 3 pixels.

Result (points)	Magnification					
	x1	x0.9	x0.8	x0.7	x0.6	x0.5
6	13	15	17	20	24	30
8	19	21	24	28	34	41
10	24	27	31	36	43	52
12	30	34	38	44	52	63
14	35	40	45	52	61	74
18	47	52	59	68	80	97
24	63	71	80	92	108	130
30	80	89	101	116	135	163
36	97	108	122	139	163	197
42	113	126	142	163	191	230
48	130	145	163	187	219	263
60	163	182	205	235	274	330
72	197	219	247	282	330	397

The name of the originator of each font is given below where known. In some cases we have guessed, perhaps inaccurately. Corrections are solicited. For fonts that originated outside SAIL we generally have no information about the originator(s) so we simply indentify the probable originating organization, e.g. CMU (Carnegie-Mellon University AI group), MIT (M.I.T. AI group), or ISI (Information Sciences Institute, University of Southern California) or the SHY Corporation.

In describing character sets, we use "SAIL set" to mean the peculiar character set that we use, as described in Appendix B. The "ASCII set" is taken (inacurately) to mean those characters in the SAIL set with codes greater than '40, while the "special characters" are SAIL symbols with character codes less than '40.

For fonts with nonstandard characters in some positions, we use the notation " $\alpha \rightarrow \beta$ " to mean that the code that normally prints as " α " prints as symbol " β " in this font. In fonts where senseless substitutions have been made, they are not listed.

3. VARIABLE WIDTH REGULAR FONTS

Baskerville

The Baskerville fonts include lightface, *italic*, and **bold**. The "BAS" fonts include ligatures in place of certain special characters, as noted below. The ligatures and some additional special characters are also available in BAXS30 (see Section 5, Miscellaneous fonts). If you are using Pub and want ligatures, use BASK.PUB [SUB,SY] to make the substitutions automatically.

For special accents, use the zero-width font ZERO30. There are some supplementary Baskerville symbols in BAXS30.

BAXL30 12 point Baskerville (height = 30 pixels = 22 + 8, width ≤ 31) by Mike Clancy
Derived from BASL30. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β
∧ ¬ ε π λ ∞ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ → ∼ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BASL30 12 point Baskerville (height = 30 pixels = 22 + 8, width ≤ 48) by Brian Harvey
Complete except for ligature substitutions (see below) and missing ∇.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β
∧ π λ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ → ∼ ≤ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }
Ligatures: ⇒⇒fi √⇒fi ≥⇒ff ≠⇒ffi ∞⇒ffi →→—

BAXI30 12 point Baskerville Italic (height = 30 pixels = 22 + 8, width ≤ 30) by Mike Clancy
Derived from BASI30. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ∧
*¬ ε π λ ∞ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ → ∼ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }*

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BASI30 12 point Baskerville Italic (height = 30 pixels = 22 + 8, width ≤ 30) by Brian Harvey
Complete except for ligature substitutions (see below) and missing ∼.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ∧
*ε π λ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ → ∼ ≤ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }*
Ligatures: ⇒⇒fi √⇒fi ≥⇒ff ≠⇒ffi ∞⇒ffi →→—

BAXM30 12 point Baskerville Mathematical (height = 30 pixels = 22 + 8, width ≤ 48) by Les Earnest
Same as BAXL30 except that the alphabet is italic, has wide-spaced period, and prime ' in place of '. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ^
 $\pi \lambda \infty \partial \subset \supset \cap \cup \forall \exists \otimes \leftrightarrow _ \rightarrow \sim \neq \leq \geq \equiv \vee ! " \# \$ \% \& ' () * + , - . / : ; < = > ? @ [\] \uparrow \leftarrow \{ | \}$

BAXB30 12 point Baskerville Bold (height = 30 pixels = 22 + 8, width ≤ 30) by Mike Clancy
Derived from BASB30. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β
 $\wedge \neg \in \pi \lambda \infty \partial \subset \supset \cap \cup \forall \exists \otimes \leftrightarrow _ \rightarrow \sim \neq \leq \geq \equiv \vee ! " \# \$ \% \& ' () * + , - . / : ; < = > ? @ [\] \uparrow \leftarrow \{ | \}$

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BASB30 12 point Baskerville Bold (height = 30 pixels = 22 + 8, width ≤ 30) by Brian Harvey
Complete except for ligature substitutions (see below).

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β
 $\wedge \in \pi \lambda \partial \subset \supset \cap \cup \forall \exists \otimes \leftrightarrow _ \rightarrow \sim \leq ! " \# \$ \% \& ' () * + , - . / : ; < = > ? @ [\] \uparrow \leftarrow \{ | \}$

Ligatures: $\Rightarrow \rightarrow \vee \rightarrow \text{fi} \geq \rightarrow \text{ff} \neq \rightarrow \text{ffi} \infty \rightarrow \text{ffi} \rightarrow \rightarrow -$

BASL35 13 point Baskerville (height = 34 pixels = 25 + 9, width ≤ 38) by Arthur Samuel
Includes ligatures; missing $\in \forall$. A slightly enlarged version of BASL30.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234
56789 ↓ α β ^ π λ ∂ ⊂ ⊃ ∩ ∪ ∃ ⊗ ↔ _ → ∼ ≤ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ←
 $\{ | \}$

Ligatures: $\Rightarrow \rightarrow \vee \rightarrow \text{fi} \geq \rightarrow \text{ff} \neq \rightarrow \text{ffi} \infty \rightarrow \text{ffi} \rightarrow \rightarrow -$

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Bocklin

BEESIX 14 point Bocklin (height = 36 pixels = 27 + 9, width ≤ 38) by Bruce Baumgart
Letters and digits only (no punctuation).

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z a b c d e f g h i j k l m n o p q r s t u v w x y z
0 1 2 3 4 5 6 7 8 9

If time be of all things the most precious wasting time must be fun but without punctuation words run together and we eventually lose track of what we are talking about which is just as well because Poor Richard was such a dingaling that he used to fly kites in the rain

BUCK75 27 point Bocklin (height = 73 pixels = 58 + 15, width ≤ 75) by Bruce Baumgart
Letters and digits only (no punctuation).

A B C D E F G H I J K L M N O P Q R S T
U V W X Y Z a b c d e f g h i j k l m n o p q r s t u v w x y z
0 1 2 3 4 5 6 7 8 9

The noblest motive is the public good
Never play leapfrog with a Unicorn

Bodoni

BDJ20 8 point Bodoni Mathematical (height = 20 pixels = 16 + 4, width ≤ 22) by Bill Gosper
Italic alphabet, everything else upright. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β ∧ ¬ ∈ π λ ∞ ∂ ∩ ∪ ∨ ∃ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDR25 10 point Bodoni (height = 26 pixels = 20 + 6, width ≤ 25) by @CMU
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β ∧ ¬ ∈ π λ ∞ ∂ ∩ ∪ ∨ ∃ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDI25 10 point Bodoni Italic (height = 26 pixels = 20 + 6, width ≤ 27) by @CMU
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β ∧ ¬ ∈ π λ ∞ ∂ ∩ ∪ ∨ ∃ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDJ25 10 point Bodoni Mathematical (height = 26 pixels = 20 + 6, width ≤ 27) by Bill Gosper
Italic alphabet, everything else upright. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β ∧ ¬ ∈ π λ ∞ ∂ ∩ ∪ ∨ ∃ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDR25X 10 point Bodoni Bold (height = 26 pixels = 20 + 6, width ≤ 25) by Tovar
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β ∧ ¬ ∈ π λ ∞ ∂ ∩ ∪ ∨ ∃ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖ ⊗ ⊕ ⊖
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDR30 12 point Bodoni (height = 31 pixels = 25 + 6, width ≤ 28) by Tovar
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β ∟ ∟
€ π λ ∞ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘
{ | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDI30 12 point Bodoni Italic (height = 31 pixels = 24 + 7, width ≤ 34) by Andy Moorer
A bit uneven, alas. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789
*↓ ∞ β ∟ ∟ ∞ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ?*
@ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDB30 12 point Bodoni Bold (height = 31 pixels = 25 + 6, width ≤ 30) by Tovar
Made from BDR30. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞
β ∟ ∟ ∞ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [
\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDR40 15 point Bodoni (height = 40 pixels = 30 + 10, width ≤ 38) by Kurt VanLehn
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst
uvwxyz 01234 56789 ↓ ∞ β ∟ ∟ ∞ ∂ ∘ ∩ ∪ ∇ ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √
! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDI40 15 point Bodoni Italic (height = 40 pixels = 33 + 7, width ≤ 43)
Extremely ragged; made from BDI25. Full SAIL set.

by Tovar

*ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno
pqrst uvwxyz 01234 56789 ↓ α β ∧ ¬ € π λ ∞ ∂ ∷ ∩ ∪ √ ∃ ⊗ ↔ _
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ {
| }*

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

BDR66 25 point Bodoni (height = 66 pixels = 51 + 15, width ≤ 63)
Full SAIL set. Generated from BDR40; rather ragged.

by Tovar

**ABCDE FGHIJ KLMNO PQRST UVWXYZ
abcde fghij klmno pqrst uvwxyz 01234 56789
↓ α β ∧ ¬ € π λ ∞ ∂ ∷ ∩ ∪ √ ∃ ⊗ ↔ _ → ~ ≠
≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @
[\] ↑ ← ‘ { | }**

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality;

Clarendon

CLAR30 14 point Clarendon (height = 37 pixels = 27 + 10, width ≤ 39) by Paul Martin
Missing ↓ β ^ ˘ € π λ ∞ ð ñ ù ⊗ ⊕ _ ~ ≤ ≥ √ ! & * < > @ ↑ { }.

**ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno
pqrst uvwxyz 01234 56789 α < > √ ℰ → ≠ ≡ " # \$ % ' () + , - .
/ : ; = ? [\] ^ ` |**

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

CLAR40 18 point Clarendon (height = 46 pixels = 34 + 12, width ≤ 52) by Andy Moorer
Rather ragged. Missing ↓ β ^ ˘ € π λ ∞ ð ñ ù ⊗ ⊕ _ ~ ≤ ≥ √ ! & * < > @ ↑ { }.

**ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde
fghij klmno pqrst uvwxyz 01234 56789 α < > √
ℰ → ≠ ≡ " # \$ % ' () + , - . / : ; = ? [\] ^ ` |**

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Coronet

CORON 18 point Coronet Bold (height = 48 pixels = 37 + 11, width ≤ 51) by Stan Kugell
 A cursive set of letters, digits, and a little punctuation. Rather uneven.

*ABCDE FGHIJ KLMNO PQRSTU VWXYZ abcde fg hij klmno
 pqrst uvwxyz 01234 56789 ; : , .*

*Little Bo Peep has lost her sheep, and cant tell where to find them;
 Leave them alone and theyll come home, and bring their tails behind them.
 Little Bo Peep fell fast asleep, And dreamt she heard them bleating;
 But when she awoke, she found it a joke, For they were still a fleeting.*

Countdown

CNT57 22 point Countdown (height = 57 pixels = 50 + 7, width ≤ 68) by Paul Martin
 Upper case letters only.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

**COUNTDOWN HAS NO INTEGERS TO COUNT
 DOWN WITH BUT IT COMPENSATES BY
 BEING ILLEGIBLE AND UGLY**

Meteor

All the Meteor fonts have the same (mostly ASCII) character set. File name suffixes are interpreted as follows: S = small, M = medium, L = large, I = italic, B = bold.

METS 10 point Meteor (height = 25 pixels = 20 + 5, width ≤ 28) by @SHY
 ASCII set less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METSI 10 point Meteor Italic (height = 25 pixels = 20 + 5, width ≤ 23) by @SHY
 ASCII set less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METSB 10 point Meteor Bold (height = 25 pixels = 20 + 5, width ≤ 26) by @SHY
 ASCII set less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METSBI 10 point Meteor Bold Italic (height = 25 pixels = 20 + 5, width ≤ 24) by @SHY
 ASCII set less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METM 12 point Meteor (height = 30 pixels = 21 + 9, width ≤ 33) by @SHY
ASCII set less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~
!"#\$%&'()*+,-./:;<=>?@[\]↑←{|}

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METMI 12 point Meteor Italic (height = 30 pixels = 21 + 9, width ≤ 31) by @SHY
ASCII set less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _
~!"#\$%&'()+,-./:;<=>?@[\]↑←{|}*

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METMB 12 point Meteor Bold (height = 30 pixels = 21 + 9, width ≤ 36) by @SHY
ASCII set less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234
56789 _ ~!"#\$%&'()*+,-./:;<=>?@[\]↑←{|}

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METMBI 12 point Meteor Bold Italic (height = 30 pixels = 21 + 9, width ≤ 32) by @SHY
ASCII set less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234
56789 _ ~!"#\$%&'()*+,-./:;<=>?@[\]↑←{|}

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METL 14 point Meteor (height = 35 pixels = 28 + 7, width ≤ 34) by @SHY
 ASCII set less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234
 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METLI 14 point Meteor Italic (height = 35 pixels = 28 + 7, width ≤ 33) by @SHY
 ASCII set less ^ plus _ ~.

*ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz
 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }*

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METLB 14 point Meteor Bold (height = 35 pixels = 28 + 7, width ≤ 37) by @SHY
 ASCII set less ^ plus _ ~.

**ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz
 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }**

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

METLBI 14 point Meteor Bold Italic (height = 35 pixels = 28 + 7, width ≤ 37) by @SHY
 ASCII set less ^ plus _ ~.

***ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz
 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }***

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Microgramma

MICR25 10 point Microgramma (height = 25 pixels = 20 + 5, width ≤ 16) by @CMU
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β
Λ ¬ € π λ ∞ ð c ÷ ñ U V ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ' { | ~

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

News Gothic

NGR13 6 point News Gothic (height = 14 pixels = 11 + 3, width ≤ 13) by @CMU
Rather unreadable. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β Λ ¬ € π λ ∞ ð c ÷ ñ U V ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ' { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGR20 9 point News Gothic (height = 21 pixels = 16 + 5, width ≤ 18) by @CMU
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β Λ ¬ € π λ ∞ ð c ÷ ñ U V ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ' { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGI20 8 point News Gothic Italic (height = 20 pixels = 16 + 4, width ≤ 18) by ?
Letters only.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz

If time be of all things the most precious wasting time must be as Poor Richard says the greatest prodigality since as he elsewhere tells us lost time is never found again and what we call time enough always proves little enough Let us then up and be doing and doing to the purpose so by diligence shall we do more with less perplexity

NGR25 10 point News Gothic (height = 26 pixels = 20 + 6, width ≤ 23) by @CMU

This is a good size for compact text. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β λ π ∞ ∂ c ∩ U ∇ ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGI25 10 point News Gothic Italic (height = 25 pixels = 20 + 5, width ≤ 23) by @CMU

Letters only.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz

If time be of all things the most precious wasting time must be as Poor Richard says the greatest prodigality since as he elsewhere tells us lost time is never found again and what we call time enough always proves little enough Let us then up and be doing and doing to the purpose so by diligence shall we do more with less perplexity

NGB25 10 point News Gothic Bold (height = 26 pixels = 20 + 6, width ≤ 23) by @CMU

Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β λ π ∞ ∂ c ∩ U ∇ ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGR30 12 point News Gothic (height = 31 pixels = 24 + 7, width ≤ 31) by @CMU

Missing ↓ ∞ β λ π ∞ ∂ c ∩ U ∇ ∃ ⊗ ↔ ≤ ≥ ≡.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ∧ ∈ π ∩ ∇ _ → ~ ≠ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGB30 12 point News Gothic Bold (height = 31 pixels = 24 + 7, width ≤ 32) by Tovar

Missing ↓ ∞ β λ π ∞ ∂ c ∩ U ∇ ∃ ⊗ ↔ ≤ ≥ ≡.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ∧ ∈ π ∩ ∇ _ → ~ ≠ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGR40L 16 point News Gothic (height = 42 pixels = 32 + 10, width ≤ 37)
Full SAIL set.

by Tovar

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz
 Ø1234 56789 ↓ ∞ β ∧ ¬ € π λ ∞ ð c ÷ n u v ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " #
 \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ` { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGR40 16 point News Gothic Medium (height = 41 pixels = 32 + 9, width ≤ 37)
Has only alphabet, digits and a little punctuation.

by David Levy

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz
 01234 56789 + - / " : ; , ? .

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NGB40 15 point News Gothic Bold (height = 40 pixels = 32 + 8, width ≤ 3)
Rather ragged, alas. Full SAIL set.

by Andy Moorer

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz
01234 56789 ↓ ∞ β ∧ ¬ € π λ ∞ ð c ÷ n u v ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ !
" # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ` { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Nonie

All the Nonie fonts have the same (mostly ASCII) character set. File name suffixes are interpreted as follows: S = small, M = medium, L = large, I = italic, B = bold.

NONS 10 point Nonie (height = 25 pixels = 20 + 5, width ≤ 23) by @SHY
 ASCII less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < =
 > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONSI 10 point Nonie Italic (height = 25 pixels = 20 + 5, width ≤ 21) by @SHY
 ASCII less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ;
 < = > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONSB 10 point Nonie Bold (height = 25 pixels = 20 + 5, width ≤ 25) by @SHY
 ASCII less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ;
 < = > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONSB I 10 point Nonie Bold Italic (height = 25 pixels = 20 + 5, width ≤ 23) by @SHY
 ASCII less ^ plus _ ~.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # \$ % & ' () * + , - . / : ;
 < = > ? @ [\] ^ + { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONM 12 point Nonie (height = 30 pixels = 21 + 9, width ≤ 27) by @SHY

ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " #
\$ % & ' () * + , - . / : ; < = > ? @ [\] † ‡ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONMI 12 point Nonie Italic (height = 30 pixels = 21 + 9, width ≤ 26) by @SHY

ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! "
*# \$ % & ' () * + , - . / : ; < = > ? @ [\] † ‡ { | }*

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONMB 12 point Nonie Bold (height = 30 pixels = 21 + 9, width ≤ 30) by @SHY

ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~
! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] † ‡ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONMBI 12 point Nonie Bold Italic (height = 30 pixels = 21 + 9, width ≤ 30) by @SHY

ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _
~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] † ‡ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONL 14 point Nonie (height = 35 pixels = 28 + 7, width ≤ 33) by @SHY
 ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fg hij klmno pqrst uvwxyz 01234 56789
_ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONLI 14 point Nonie Italic (height = 35 pixels = 28 + 7, width ≤ 32) by @SHY
 ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fg hij klmno pqrst uvwxyz 01234 56789
_ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONLB 14 point Nonie Bold (height = 35 pixels = 28 + 7, width ≤ 34) by @SHY
 ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fg hij klmno pqrst uvwxyz 01234
56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

NONLBI 14 point Nonie Bold Italic (height = 35 pixels = 28 + 7, width ≤ 34) by @SHY
 ASCII less ^ plus _ ~.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fg hij klmno pqrst uvwxyz 01234
56789 _ ~ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Old English

OLDENG 12 point Old English (height = 30 pixels = 24 + 6, width ≤ 26) by ?
Letters, digits, and a little punctuation.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z abcde fghij klmno pqrst uvwxyz 01234 56789 ' , - . : ; '

'Twas the night before Christmas, when all through the house
Not a creature was stirring, not even a mouse;
The stockings were hung by the chimney with care,
In hopes that St. Nicholas soon would be there;

XMAS25 14 point Old English (height = 37 pixels = 28 + 9, width ≤ 70) by Bruce Baumgart
Letters, digits, and a little punctuation.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z abcde fghij
klmno pqrst uvwxyz 01234 56789 , . : ;

The children were nestled all snug in their beds,
While visions of sugar plums danced in their heads;
And mamma in her kerchief, and I in my cap,
Had just settled our brains for a long winters nap,

XMAS40 17 point Old English (height = 43 pixels = 35 + 8, width ≤ 56) by Tovar
Letters and digits only (no punctuation).

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
abcde fghij klmno pqrst uvwxyz 01234 56789

When out on the lawn there arose such a clatter
I sprang from the bed to see what was the matter
Away to the window I flew like a flash
 Tore open the shutters and threw up the sash

Old German

GERM35 15 point Old German (height = 40 pixels = 31 + 9, width ≤ 32) by Robert Maas
Letters and a little punctuation only (latter contributed by Bill van Melle).

ABCDEFGHIJKLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz ! " ' () , . : ; ?

Supplementary: α→ä β→ß ø→ö v→ü \$→\$ U→Û V→Ű →→∞ ∞→∞ →→∞

In olden times when wishing still helped one, there lived a king whose daughters were all beautiful, but the youngest was so beautiful that the sun itself, which has seen so much, was astonished whenever it shone in her face.

GERM70 26 point Old German (height = 68 pixels = 60 + 8, width ≤ 63) by Dave Barstow
Letters and period only.

ABCDEFGHIJKLMNO PQRST UVWXYZ
abcde fghij klmno pqrst uvwxyz .

Der schnelle braune Bock hat den faulen Bub
uebersprungen.

Original City Lights

CTL25 10 point Original City Lights (height = 26 pixels = 19 + 7, width ≤ 25) by @CMU
Full SAIL set.

ABCDEFGHIJKLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ ∞ β ∧ ¬ ∈ π λ ∞ ð c
▷ ∩ ∪ ∨ ∃ ⊗ ⊕ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ` { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Playbill

PLAYBI 14 point Playbill (height = 36 pixels = 27 + 9, width ≤ 16) by Tovar
A slim font with many missing characters (e.g. digits 4-9).

ABCDEFGHIJKLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 0123 = ≠ ≤ ≥ < > / * + - & \$ % () [] " ' : ; , . ? !

Now playing: a film that depicts the struggle against environmental pollution by a courageous woman. Marilyn Chambers gives a spirited performance in "Behind the Green Door". Coming soon: a penetrating examination of an amazing talent. In "Deep Throat", Linda Lovelace gives a stirring performance of great depth.

Quux

QUUV25 10 point Quux Variable Bold (height = 25 pixels = 20 + 5, width ≤ 25) by TGQ @MIT
Full SAIL set.

**ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234
56789 ↓ α β ^ ̄ ε π λ ∞ ∂ c ∩ U n V ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & '
() * + , - . / : ; < = > ? @ [\] ↑ ← ` { | }**

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

SHADOW

SHD40 15 point Shadow (height = 40 pixels = 32 + 8, width ≤ 38) by @CMU
Upper case letters, digits, and a little punctuation only.

**ABCDE FGHIJ KLMNO PQRST UVWXY 01234 56789 ↔ !
" # \$ % & ' () * + , - . / : ; < = > ? @ [\] ↑ ← ` { | }**

**THE SHADOW FONT IS AN EXCELLENT CHOICE FOR
PROFOUND PREDICTIONS. IT HAS THE ADVANTAGE OF
BEING ALMOST UNREADABLE.**

SIGN

SIGN57 22 point Sign (height = 57 pixels = 50 + 7, width ≤ 95) by @CMU
Upper case letters, digits, and a little punctuation only.

**ABCDE FGHIJ KLMNO PQRST
UVWXY 01234 56789 ⇒ ! ¢ * , -
° / ∶ ∷ ← Substitutions: l → ≫ r → ≪**

**THIS FONT WAS INVENTED BY
A DRAFTSMAN WHO HAD LOST
HIS FRENCH CURVE.**

SGN114 41 point Sign (height = 112 pixels = 100 + 12, width ≤ 189)
Upper case letters, digits, and a little punctuation only.

by Tovar

A B C	D E F	G H I
J K L	M N O	P Q R
S T U	V W X Y	0 1 2
3 4 5	6 7 8 9	! " *
‘ ’	: ;	↔
g	/	Substitutions: l→ r→

CLEANLINESS
IS NEXT TO
IMPOSSIBLE.

4. FIXED WIDTH REGULAR FONTS

Courier

COR20 8 point Courier (height = 20 pixels = 16 + 4, width = 16) by @SHY

Similar to IBM Selectric Courier. ASCII set less ' { | } plus _.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Delegate

SAIL25 10 point Delegate (height = 25 pixels = 20 + 5, width = 17) by ?

Similar to IBM Selectric Delegate. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ^ ¬ ε π λ ∞ ∂ c ∩ U ∇ ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ ' { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Fix

The Fix fonts have are modelled after our line printer character set and are all complete.

FIX13 6 point Fix (height = 14 pixels = 11 + 3, width = 9) by @CMU

A small and rather illegible font. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ^ ¬ ε π λ ∞ ∂ c ∩ U ∇ ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ ' { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

FIX13X 6 point Fix Bold (height = 14 pixels = 11 + 3, width = 10) by Tovar

Derived from FIX13 by shifting and "or"ing. Still rather illegible. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ^ ¬ ε π λ ∞ ∂ c ∩ U ∇ ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ ' { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

FIX20 9 point Fix (height = 21 pixels = 15 + 6, width = 12) by @CMU

A good size for compact text. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ^ ¬ ε π λ ∞ ∂ c ∩ U ∇ ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ ' { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

FIX25 10 point Fix (height = 25 pixels = 20 + 5, width = 16) by @CMU
 The closest thing to a "standard font" that we have. This is the default font if you don't specify one. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β ^
 ~ € π λ ∞ ∂ c ∽ ∩ U √ ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < =
 > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

LPT 10 point Line Printer (height = 25 pixels = 20 + 5, width = 18) by Tovar
 Same as FIX25, but with character width increased to match our line printer. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234
 56789 ↓ α β ^ ~ € π λ ∞ ∂ c ∽ ∩ U √ ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & '
 () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

FIX25X 10 point Fix Bold (height = 25 pixels = 20 + 5, width = 17) by Tovar
 Made by "fattening" FIX25. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α
 β ^ ~ € π λ ∞ ∂ c ∽ ∩ U √ ∃ ⊗ ⊕ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . /
 : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

FIX30 12 point Fix (height = 30 pixels = 25 + 5, width = 19) by Tovar
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234
56789 ↓ α β ^ ¬ € π λ ∞ ð c ɔ n u v ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % &
' () * + , - . / : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

FIX40 15 point FIX (height = 40 pixels = 33 + 7, width = 25) by Tovar
Generated from FIX25--a bit inconsistent. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno
pqrst uvwxyz 01234 56789 ↓ α β ^ ¬ € π λ ∞ ð c ɔ n u
v ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - .
/ : ; < = > ? @ [\] ↑ ← ‘ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Gacham

GACL16 7 point Gacham (height = 16 pixels = 11 + 5, width = 10)
 ASCII set less \ ` plus ~.

by @SHY

```
ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ~ ! " # $ % & ' ( ) * + , - . / : ; < = > ? @ [ ] ^ _ { | }
}
```

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

GACL18 8 point Gacham (height = 18 pixels = 13 + 5, width = 12)
 ASCII set less ^ plus _ ~.

by @SHY

```
ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # $ % & ' ( ) * + , - . / : ; < = > ? @ [ \ ] ^ _ { | }
}
```

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

GACL22 9 point Gacham (height = 21 pixels = 17 + 4, width = 13)
 ASCII set less ^ plus _ ~.

by @SHY

```
ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! " # $ % & ' ( ) * + , - . / : ; < = > ? @ [ \ ] ^ _ { | }
}
```

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

GACL25 10 point Gacham (height = 25 pixels = 20 + 5, width = 14)
 ASCII set plus _ ~.

by @SHY

T UVWXYZ abcde Fghij kl no pqrst uvwxyz 01234 56789 ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ ` { | } ~

gs the ost precious, wasting ti e ust be, ms Poor Richard says, then m
 since, as he elsewhere tells us, lost ti e is never found again; and m
 gh, always proves little enough: Let us then up and be doing, and doing
 diligence shall we do ore with less perplexity. m

GACI25 10 point Gacham Italic (height = 25 pixels = 20 + 5, width = 16)
 ASCII set less ^ plus _ ~.

by @SHY

*ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 _ ~ ! "
 # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }*

*If time be of all things the most precious, wasting time must be, as Poor Richard
 says, the greatest prodigality; since, as he elsewhere tells us, lost time is
 never found again; and what we call time enough, always proves little enough: Let
 us then up and be doing, and doing to the purpose; so by diligence shall we do
 more with less perplexity.*

GACB25 10 point Gacham Bold (height = 25 pixels = 20 + 5, width = 16)
 Full SAIL set.

by @SHY

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β Λ
 ¬ ε π λ ∞ ∂ c ∩ ∪ √ ∃ ⊗ ↔ _ → ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < =
 > ? @ [\] ^ _ { | }

If time be of all things the most precious, wasting time must be, as Poor Richard
 says, the greatest prodigality; since, as he elsewhere tells us, lost time is
 never found again; and what we call time enough, always proves little enough: Let
 us then up and be doing, and doing to the purpose; so by diligence shall we do
 more with less perplexity.

Quux

QUUX25 10 point Quux Fixed Bold (height = 25 pixels = 20 + 5, width = 25) by TGQ @MIT
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst
uvwxyz 01234 56789 ↓ α β ^ ¬ ε π λ ∞ ∂ c ∩ U ∩ V ∃ ⊗ ⊕ _
~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\]
↑ ← ` { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

Set1

SET1 13 point Set1 (height = 34 pixels = 23 + 11, width = 23) by Tovar
This was the first SAIL font. Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst
uvwxyz 01234 56789 ↓ α β ^ ¬ ε π λ ∞ ∂ c ∩ n u V ∃ ⊗ ⊕ _
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @
[\] ↑ ← ` { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

SET1I 13 point Set1 Italic (height = 33 pixels = 24 + 9, width = 26) by Tovar
Full SAIL set.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst
uvwxyz 01234 56789 ↓ α β ^ ¬ ε π λ ∞ ∂ c ∩ n u V ∃ ⊗ ⊕ _
→ ~ ≠ ≤ ≥ ≡ √ ! " # \$ % & ' () * + , - . / : ; < = > ? @
[\] ↑ ← ` { | }

If time be of all things the most precious, wasting time must be, as Poor Richard says, the greatest prodigality; since, as he elsewhere tells us, lost time is never found again; and what we call time enough, always proves little enough: Let us then up and be doing, and doing to the purpose; so by diligence shall we do more with less perplexity.

4. SPECIAL FONTS

APL

APL25 10 point APL symbols (height = 25 pixels = 20 + 5, width ≤ 27) by ?
 Includes Iverson's weird collection of operators.
ABCDE FGHIJ KLMNO PQRST UVWXYZ 01234 56789 ↓ ∞ ∧ ∈ ⊂ ⊃ ∩ ∪ ∇ ∃ ↔ _ ~ ≠ ≤ ≥ ∨ ! \$ ' () * + ,
 - . / : ; < = > ? [\] ↑ ← { | }
 Special operators: → ⌈ π → ϕ λ → I ∞ → □ ∂ → ⊙ ⊗ → / → → " → ♂ # → ♀ @ → ⊕ a → ⊕ b → ⊥ c → ⊕ d → | e → ⊗ f → ⊕ g → ∇ h → Δ
 i → ⊥ j → ∘ k → ϕ l → □ m → ⊙ n → ⊤ o → ∘ p → ⋈ q → ∨ r → ⊥ s → | t → ⊗ u → \ v → ÷ w → ∙ x → × y → ⊕ z → ×

Astrology



ASTR25 9 point Astrology (height = 22 pixels = 20 + 2, width ≤ 26) by Tovar
 Aspects are incomplete.
 Solar system: Sun 0 → ☉ Mercury 1 → ☿ Venus 2 → ♀ Earth 3 → ⊕ Mars 4 → ♂ Jupiter 5 → ♃ Saturn
 6 → ♅ Uranus 7 → ♁ Neptune 8 → ♆ Pluto 9 → ♇
 d → ° Moon ☾ → ☾ Ascending node ♋ → ♋ Descending node ♏ → ♏
 Zodiac: Aries A → ♈ Taurus B → ♉ Gemini C → ♊ Cancer D → ♋ Leo E → ♌ Virgo F → ♍ Libra G → ♎
 Scorpius H → ♏ Sagittarius I → ♐ Capricornus J → ♑ Aquarius K → ♒ Pisces L → ♓

Chess

CHS50 19 point Chess pieces (height = 50 pixels = 40 + 10, width ≤ 50) by @CMU
 Should be used with interline spacing set to zero.

T → ___ U → V → | F → | G → H → W → X → Z → → ↓ →
 P → O → B → A → N → M → R → S → Q → L → K → J →
 p → o → b → a → n → m → r → s → q → l → k → j →

HTTTTTTTTX
 V Z Z A ZF
 VZ Z Z O F
 V o Z Z ZF
 VZ Z Z Z F
 V M Z Z ZF
 VjPZ Z Z F
 V ZKZ Z ZF
 VZ Z Z Z F
 WUUUUUUUUG



White mates in three moves.

Cyrillic

CYR25 12 point Light Cyrillic (height = 29 pixels = 24 + 5, width ≤ 28) by Tovar
 Has no punctuation.


АБВГД ЕЁЖЗИ ЙКЛМН ОПРСТ УФХЦЧ ШЩЪЫЬ ЭЮЯ абвгд еёжзи йклмн опрст уфхцч шщъыь эюя
 Transliteration: A→А В→Б V→В G→Г D→Д E→Е %→Ё ↑→Ж Z→З I→И Y→Й K→К L→Л M→М N→Н O→О P→П
 R→Р S→С T→Т U→У F→Ф H→Х ↔Ц #→Ч @→Ш &→Щ '→Ъ ≡→Ы n→Ь u→Э с→Ю ъ→Я а→а б→б в→в г→г д→д
 е→е §→ё ↓→ж z→з i→и y→й k→к l→л m→м n→н o→о р→р r→р s→с t→т u→у f→ф h→х →→ц "→ч ⊗→ш +→щ ´→ъ
 ⇒→ы ъ→ь v→э <→ю >→я
 Весна Я не понимаю Это не роза

CYR30 15 point Medium Cyrillic (height = 39 pixels = 31 + 8, width ≤ 37) by Tovar
 Uses the same transliteration scheme as CYR25 and has digits but no punctuation.


АБВГД ЕЁЖЗИ ЙКЛМН ОПРСТ УФХЦЧ ШЩЪЫЬ ЭЮЯ абвгд еёжзи йклмн
 опрст уфхцч шщъыь эюя 01234 56789
 Весна Я не понимаю Это не роза

Decoration

CRTURZ 57 point Creatures (height = 155 pixels = 124 + 31, width ≤ 200) by Bonnie Dazell @MIT
 Beasties contributed by various people at MIT.



CORNER 74 point Corner Decorations (height = 202 pixels = 106 + 96, width ≤ 148) by Stan Kugell
Find a corner and fill it.



**Different strokes
for
different folks**



Graphics

GRFX25 10 point Graphics (height = 25 pixels = 20 + 5, width = 16) by Paul Martin
 Graphics font for making block diagrams, as described in GRFX.XGP[UP,DOC]. Identical to
 FIX25 except for the substitutions listed below.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fg hij klmno pqrst uvwxyz 01234 56789 ↓ ∞ ↔ _
 → ≠ ≡ √ ! " () * + , - . / : ; < = > ? [∞] ↑ ← { | }


For boxes: ~→| α→- β→+ ε→| λ→| π→T ∇→L c→r ∩→γ %→L \$→J
 For trees and graphs: '→/ '→\ ≤→, ≥→\ /→/ \→\ u→/ →\ n→/ &→\ ∃→X
 Arrows: ↑→↑ ↓→↓ ↔→↔ →→→ ↔→↔ @→⇒ δ→⇒
 Multiple lines: ⇒⇒ ⇒⇒⇒ ⊗→||| Middle dot: #→•

GRFX35 14 point Graphics (height = 35 pixels = 23 + 12, width = 16) by Dave Barstow
 Graphics font for making block diagrams, as described in GRFX.XGP[UP,DOC]. Identical to
 FIX25 except for the substitutions listed below.

ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fg hij klmno pqrst uvwxyz 01234 56789 ↓ ∞ ↔ _
 → ≠ ≡ √ ! " () * + , - . / : ; < = > ? [∞] ↑ ← { | }

For boxes: ~→| α→- β→+ ε→| λ→| π→T ∇→L c→r ∩→γ %→L \$→J
 For trees and graphs: '→/ '→\ ≤→, ≥→\ /→/ \→\ u→/ →\ n→/ &→\ ∃→X
 Arrows: ↑→↑ ↓→↓ ↔→↔ →→→ ↔→↔ @→⇒ δ→⇒
 Multiple lines: ⇒⇒ ⇒⇒⇒ ⊗→||| Middle dot: #→•

Example: this source produces this.



Greek

The larger Greek fonts below (40 and 50) are needlessly ragged. Brian Reid of CMU has done some cleaning-up that will appear shortly after this catalog goes to press. All of the Greek fonts use the following transliteration scheme.

A→Α B→Β G→Γ D→Δ E→Ε Z→Ζ H→Η Q→Θ I→Ι K→Κ L→Λ M→Μ N→Ν X→Ξ O→Ο P→Π R→Ρ S→Σ T→Τ
 U→Υ F→Φ C→Χ Y→Ψ W→Ω a→α b→β g→γ d→δ e→ε z→ζ h→η q→θ i→ι k→κ l→λ m→μ n→ν x→ξ o→ο p→π
 r→ρ s→σ t→τ u→υ f→φ c→χ y→ψ w→ω

Integrals (if present): \$→∫ %→∫

GRK25 10 point Greek (height = 26 pixels = 21 + 5, width ≤ 29) by Tovar
Alphabet only. Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω

GRKL30 14 point Greek (height = 35 pixels = 25 + 10, width ≤ 32) by Andy Moorer & Tovar
Alphabet, parentheses and integrals. Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω () ∫ ∫

GRK30 13 point Greek Medium (height = 32 pixels = 27 + 5, width ≤ 35) by Tovar
Alphabet only. Upper case heights very uneven. Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω

GRKB30 12 point Greek Bold (height = 31 pixels = 25 + 6, width ≤ 32) by Andy Moorer & Tovar
Alphabet plus integrals. Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω ∫ ∫

GRKL40 16 point Greek (height = 42 pixels = 32 + 10, width ≤ 40) by Andy Moorer
Alphabet and integrals. Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω ∫ ∫

GRKB40 15 point Greek Bold (height = 40 pixels = 32 + 8, width ≤ 40) by Andy Moorer
Alphabet and integrals. Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω ∫ ∫

GRKL50 22 point Greek (height = 57 pixels = 41 + 16, width ≤ 49) by Andy Moorer
Alphabet, parentheses, and integrals. Very ragged and uneven in lower case heights.
Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω () ∫ ∫

GRKB50 19 point Greek Bold (height = 50 pixels = 40 + 10, width ≤ 49) by Andy Moorer
Alphabet and integrals. Rather ragged. Transliteration scheme given above.

ΑΒΓΔΕ ΖΗΘΙΚ ΛΜΝΞΟ ΠΡΣΤΥ ΦΧΨΩ αβγδε ζηθικ λμνξο πρστυ φχψω ∫ ∫

Hands

FING

55 point Hands (height = 150 pixels = 150 + 0, width ≤ 125)
Alphabet only.


by @MIT



FINGA

55 point Hand Alphabet (height = 150 pixels = 150 + 0, width ≤ 125)
Alphabet only in both forms.

by @MIT



Hebrew

HBRW25 17 point Hebrew (height = 45 pixels = 32 + 13, width ≤ 32)
Includes all final forms and Yiddish characters.

by Raphael Finkel

Transliteration: A→א a→א α→א B→ב b→ב̄ π→ב G→ג D→ד H→ה V→ו U→ו O→ו v→וו Z→ז X→ח T→ט Y→י i→י
y→י״ I→י״ k→כ K→כׁ ם→ך L→ל I→ל̄ M→מ m→ם N→נ n→ן C→ס J→ע p→פ P→פ F→פ̄ f→ף &→צ +→ץ Q→ק R→ר
S→ש s→שׁ w→וׁ W→ת

Vowels and special characters: ^→<half space> @→<full space> λ→, c→.׃ כ→. n→׳ u→ׂ V→ֿ _→_ ≡→..
"→' ך→ׂ --ׂ ׳→"

אָאָבַבֿ גֿדֿהֿוֿ וֿזֿ וּזֿחֿטֿיֿ ׁׂ יֿיֿיֿיֿ פֿכֿדֿלֿלֿ מֿסֿנֿוֿם עֿפֿפֿפֿרֿצֿיֿן קֿרֿשֿשֿתֿתֿ " - " ׁׂ ׃ׅׄ׆ׇ׈׉ׁׂ׃ׅׄ׆ׇ׈׉ׁׂ׃
[] < > () ? ! , . ; : 98765 43210
אָ אוּ ווּיִל זײַנגען „לָבָה דּוֹר״, מײַנט אַ ווערעם אײַן כּרײַן אָ ס׳אײַז נײַטאָ קײַן זײַסערם.

HBRW40 24 point Hebrew (height = 64 pixels = 50 + 14, width ≤ 29)
Lacks final forms.

by Raphael Finkel

Transliteration: A→א B→ב G→ג D→ד H→ה V→ו Z→ז X→ח T→ט Y→י K→כ L→ל M→מ m→ם N→נ C→ס
J→ע P→פ &→צ Q→ק R→ר S→ש W→ת .→.

אבגדה ווחטי כלמנס סעפצק רשת.

Mathematics

MATH25 10 point Math (height = 25 pixels = 20 + 5, width \leq 23)

Collected from various fonts.

$\$ \rightarrow \Sigma \int \rightarrow \nabla \partial \rightarrow \delta + \rightarrow \pm - \rightarrow \mp x \rightarrow \times \% \rightarrow \div \backslash \rightarrow \sqrt * \rightarrow \cdot$

$(\rightarrow \langle \rangle \rightarrow \rangle \langle \rangle \rightarrow \rangle \{ \rightarrow \ll \} \rightarrow \gg r \rightarrow \vdash s \rightarrow \dashv T \rightarrow \perp m \rightarrow \parallel a \rightarrow \equiv b \rightarrow \equiv c \rightarrow \Rightarrow d \rightarrow \exists e \rightarrow \simeq \Rightarrow \approx$

by Les Earnest

MATH30 13 point Math (height = 32 pixels = 23 + 9, width \leq 27)

Largely derived from PLUNK.

$\propto \wedge \neg \in \subset \supset \cap \cup \forall \exists \Leftrightarrow \Rightarrow \sim \equiv ' / \mathbb{C} \mathbb{Q} \mathbb{R} \mathbb{Z} \llbracket \rrbracket \Leftarrow \mathbb{I}$

$\pi \rightarrow \notin \lambda \rightarrow \exists \partial \rightarrow \delta \$ \rightarrow \Sigma \int \rightarrow \nabla A \rightarrow \times S \rightarrow \wp E \rightarrow \mathcal{E} F \rightarrow \mathcal{F}$

$K \rightarrow \subseteq J \rightarrow \subset N \rightarrow \supseteq M \rightarrow \not\subset L \rightarrow \neq O \rightarrow \emptyset$

$o \rightarrow \circ e \rightarrow \simeq \Rightarrow \approx \langle \rightarrow \langle \rangle \rightarrow \rangle \leq \rightarrow \leq \geq \rightarrow \geq \{ \rightarrow \ll \} \rightarrow \gg (\rightarrow \langle \rangle \rightarrow \rangle$

$+ \rightarrow \pm - \rightarrow \mp x \rightarrow \times \% \rightarrow \div \backslash \rightarrow \sqrt * \rightarrow \cdot \therefore \therefore \therefore \therefore \therefore \therefore \therefore \therefore \therefore \therefore$

$0 \rightarrow \circ 1 \rightarrow \square 2 \rightarrow \triangle 3 \rightarrow \diamond 4 \rightarrow \oplus 5 \rightarrow \ominus 6 \rightarrow \otimes 7 \rightarrow \oslash D \rightarrow \nabla$

$a \rightarrow \equiv b \rightarrow \equiv c \rightarrow \Rightarrow p \rightarrow \vdash q \rightarrow \equiv r \rightarrow \vdash s \rightarrow \dashv T \rightarrow \perp i \rightarrow \lceil j \rightarrow \rceil k \rightarrow \lfloor l \rightarrow \rfloor m \rightarrow \parallel n \rightarrow \parallel$

by Les Earnest

MATH40 15 point Math (height = 39 pixels = 33 + 6, width \leq 25)

A few big operators.

$\$ \rightarrow \Sigma \cup \rightarrow \cup \int \rightarrow \int ' \rightarrow '$

by @MIT

MATH50 20 point Math (height = 53 pixels = 35 + 18, width \leq 34)

More big stuff.

$\$ \rightarrow \Sigma \pi \rightarrow \prod \int \rightarrow \int \backslash \rightarrow \sqrt \langle \rightarrow (\rangle \rightarrow) \lceil \rightarrow \lceil \rceil \rightarrow \rceil \{ \rightarrow \{ \} \rightarrow \} \mid \rightarrow \mid / \rightarrow /$

by @MIT

MATH55 21 point Math (height = 55 pixels = 48 + 7, width \leq 40)

Top of the line.

$\$ \rightarrow \Sigma \int \rightarrow \int \langle \rightarrow (\rangle \rightarrow) \lceil \rightarrow \lceil \rceil \rightarrow \rceil$

by @MIT

Miscellaneous

ZERO30 13 point Zero Width Accents (height = 34 pixels = 26 + 8, width = 0) by Les Earnest
Zero width symbols overwrite the following character and are useful for accents in certain European languages and in mathematical notation.

^→^ ˘→˘ ˙→˙ ˚→˚ ˇ→ˇ ˘→˘ ˙→˙ ˚→˚ ˇ→ˇ ˘→˘ ˙→˙ ˚→˚ ˇ→ˇ ˘→˘ ˙→˙ ˚→˚ ˇ→ˇ

Here are examples of the above accents used with Baskerville (BAXL30):

á à ä â ã ä å ā ă ç

Pie mōni suni ar kaulu, otreiz nepienāce ar gaļu.

Ābols no ābeles fālu nehuit.

MS25 10 point Miscellaneous (height = 25 pixels = 20 + 5, width ≤ 34) by Les Earnest
Collected from various places.

!→i ?→i {→« }→» L→ℓ \$→¢ π→π *→★ ⇒→■ →
A→§ B→† C→‡ @→% c→© r→® d→° h→ħ u→μ
→⇒ ↑→↑ K→K ↔→↔ D→D E→E F→F G→G H→H I→I J→J
e→e f→f g→g i→i P→P Q→Q R→R S→S

MS30 13 point Miscellaneous (height = 32 pixels = 28 + 4, width ≤ 22) by Les Earnest
Collected from various places.

!→i ?→i {→« }→» L→ℓ A→§ B→† C→‡ ⇒→■ →

BAXS30 12 point Baskerville Supplement (height = 30 pixels = 22 + 8, width ≤ 48) by Les Earnest
Ligatures, scandinavian, and other symbols.

α→Υ β→δ ⊕→⊕ #→# *→• +→± .→. /→f !→i ?→i <→« >→»
BAXL30: @→ff A→ffi B→ffl C→fi D→fl E→—
BAXI30: P→ff Q→ffi R→ffl S→fi T→fl U→— V→A W→a X→Æ Y→œ Z→Ø [→ø
BAXB30: ‘→ff a→ffi b→ffl c→fi d→fl e→—

Phonetics

IPA25 10 point Phonetic (height = 25 pixels = 20 + 5, width ≤ 16) by @CMU & Paul Martin
International Phonetic Alphabet.

appears to be the same as F+X25 except for the following substitutions.

α→I β→ε ɹ→æ ε→ɔ π→u ω→ə ð→ʒ c→ŋ ɔ→θ n→š u→ʃ
V→ð ʒ→ž ⊕→ʒ ↔→? ~→I ≠→ŋ ⇒→č v→j \$→a *→l

Rotated

Here are some fonts for sideways tables and other graphics.

FIXR13 5 point Rotated Fix (height = 10 pixels = 8 + 2, width = 13) by Tovar
 FIX13 rotated clockwise 1/4 revolution.

Q W X Y Z [\] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z { } ~ ¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿ À Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ï Ñ Ò Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ à á â ã ä å æ ç è é ê ë ì í î ï ð ñ ò ó ô õ ö ÷ ø ù ú û ü ý þ ÿ

This is a ridiculous way to write anything.

FIXR16 7 point Rotated Fix (height = 16 pixels = 13 + 3, width = 25) by Tovar
 FIX16 rotated clockwise 1/4 revolution.

Q W X Y Z [\] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z { } ~ ¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿ À Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ï Ñ Ò Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ à á â ã ä å æ ç è é ê ë ì í î ï ð ñ ò ó ô õ ö ÷ ø ù ú û ü ý þ ÿ

Why are you lying on your right ear?

Scandinavian

SCAN30 10 point Scandinavian (height = 26 pixels = 25 + 1, width ≤ 29) by Odd Petterson
 Supplementary symbols for several fonts.

FIX25: V→Å α→å
 NGB25: A→Ä a→ä B→Æ b→æ C→Ø c→ø
 BASI30: Q→Å q→å R→Æ r→æ S→Ø s→ø


ICE34 13 point Old Icelandic (height = 34 pixels = 29 + 5, width ≤ 39) by Tom Fowler
 This font is a mess; it is apparently derived from IPA25.

ABDEF GHIJK LMNOP RSTUV XYZ abdef ghijk lmnop rstuv xyz 0123456789 ↓ → " ' , - . : ; [\] ' |

Substitutions: α→I λ→ö €→c λ→Ö ω→ə ð→í V→ð E→Ø ø→ø ↔Ú _→ý ≠→t̂ ≤→ø ≥→Q ⇒→ø v→ú !→í #→æ \$→ð %→þ &→Q (→á)→é *→Æ +→q /→þ <→æ ⇒→Ø >→Æ ?→ú @→q C→É Q→Ý W→Ó ↑→É ↔Í c→Á q→Ú w→Í {→á }→é

Seals

STA200 79 point Old Stanford Seal (height = 216 pixels = 108 + 108, width = 216) by Tovar



STAN2 79 point Newer Stanford Seal (height = 216 pixels = 108 + 108, width = 225) by Tovar



Displaced

Here are some fonts that have been displaced from their normal positions. Since Pub and Pox have facilities for displacing any fonts up or down, these displaced fonts are not strictly necessary.

SUP 9 point Superscript (height = 21 pixels = 28 + -7, width ≤ 20) by Tovar

Made by displacing NGR20 upward.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β λ ϵ π λ ∞ ∂ c ∩ U V ∃ ⊗ ↔ _ → ~ ≠ ≤
 ≥ = v ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }

Example using NGR25 for main text: $E = MC^2$ (Einstein was a square M.C.)

SUB 9 point Subscript (height = 21 pixels = 9 + 12, width ≤ 20) by Tovar

Made by displacing NGR20 downward.
 ABCDE FGHIJ KLMNO PQRST UVWXYZ abcde fghij klmno pqrst uvwxyz 01234 56789 ↓ α β λ ϵ π λ ∞ ∂ c ∩ U V ∃ ⊗ ↔ _ → ~ ≠ ≤
 ≥ = v ! " # \$ % & ' () * + , - . / : ; < = > ? @ [\] ^ _ { | }

Example using NGR25 for main text: H₂O is tasteless; H₂SO₄ is tangy.

Tengwar

Here are tengwar (Elvish characters) from Tolkien's "Lord of the Rings". For a discussion of composition techniques, see TENGWR.DON [UP,DOC].

TNG40 15 point Tengwar (height = 40 pixels = 32 + 8, width ≤ 33) by Bob Currier @SI Modified by Don Woods.

→? €→€ ∞→) ð→? n→y ↔α ~→~ ≠→α ⇒~ !→! \$→\$,→, -→- .→. :→: ;→; ?→? A→c B→m C→q D→p E→λ F→b G→ay H→λ I→i J→ay K→q L→c M→m N→m P→p R→n S→c T→p U→o V→m W→m Y→α Z→g a→" c→d d→m e→' g→d h→d i→ j→a n→ o→ r→y s→d t→b u→' w→a y→.. z→d |→|

i' c'p'v'k' ay'c'h'k'i'c'.
c'c'h'v'm' p'm'i' m'j'v'i'c'
j' m'm'c' ay'c'n' c'm'h!
k'i'-d'i'y'p'o' p'c'm'-p'o'j'v'i'c'
j' ay'c'h'v'm'm' m'v'h'.
h'm'i'c'g'. c'i' c'm'h'k'
m'h' i'i'n'. c'j' m'h' i'i'y'k'!

TNG75 28 point Tengwar (height = 75 pixels = 50 + 25, width ≤ 72) by Don Woods A larger set.

→? ∞→) ð→? c→' c→' v→p e→p ↔p ~→~⇒~ !→! ,→, -→- .→. :→: ;→; <→' >→'
?→? B→m c→q D→p F→b G→ay H→λ J→ay K→q L→c M→m N→m o→' P→p R→n
s→c T→p u→' v→m w→m Y→α z→g a→" c→d d→m e→' g→d i→ j→a n→ o→'
r→y s→d t→b u→' y→.. z→d |→|

i' c'p'v'k' ay'c'h'k'i'c'.
c'c'h'v'm' p'm'i' m'j'v'i'c'
j' m'm'c' ay'c'n' c'm'h!
k'i'-d'i'y'p'o' p'c'm'-p'o'j'v'i'c'
j' ay'c'h'v'm'm' m'v'h'.
h'm'i'c'g'. c'i' c'm'h'k'
m'h' i'i'n'. c'j' m'h' i'i'y'k'!

APPENDIX A

Blacklist

The following fonts are not included in the preceding catalog for the reasons given here. They should be fixed or deleted.

Font	Reason
BDJ22	Too ragged in many places.
BDJ28	Too ragged in many places.
FORN25	Identical to FIX25 except that the accents ‘ ’ ~ have zero width, so that they overwrite the following character. ZERO30 has an equivalent set of accents and is more complete.
KBD25	Keyboard is identical to FIX25 except for “ ’ ~”, which are made to look more like they do on keyboards, which is a difference of little utility.
LG25	Appears to be identical to GACB25.
LGI25	Despite its name, this italic doesn’t match either LG25 or LGR25. GACI25 is better.
LGR25	Substantially the same as GACB25.
MISC25	Superseded by the more complete MS25 and ZERO30.
MISC30	Superseded by the more complete MS30 and ZERO30.
PLT11	This teeny font is unreadable.
PLT11R	So is its rotated cousin.
PLUNK	Superseded by the more complete MATH30 and MS25.
SUPSUP	Super-superscript font is unnecessary. Pub and Pox provide better ways of dealing with vertical displacements.
SUBSUP	Sub-superscript is unnecessary for the same reason.
SUBSUB	Sub-superscript is similarly unnecessary.

APPENDIX B

Character Codes

Here is the Stanford A. I. Lab. (SAIL) Character Set and corresponding octal codes.

	0	1	2	3	4	5	6	7
000	NUL	↓	α	β	^	¬	€	π
010	λ	HT	LF	VT	FF	CR	∞	∂
020	c	▷	∩	∪	∩	∩	∞	↔
030	_	→	~	≠	≤	≥	≡	∇
040	SP	!	"	#	\$	%	&	'
050	()	*	+	,	-	·	/
060	0	1	2	3	4	5	6	7
070	8	9	:	;	<	=	>	?
100	@	A	B	C	D	E	F	G
110	H	I	J	K	L	M	N	O
120	P	Q	R	S	T	U	V	W
130	X	Y	Z	[\]	↑	←
140	`	a	b	c	d	e	f	g
150	h	i	j	k	l	m	n	o
160	p	q	r	s	t	u	v	w
170	x	y	z	{		ESC	}	BS

Here is a list of octal code differences between the SAIL character set, the ASCII set upon which it was based, and the CMU and MIT sets, which was based on both. A blank entry in a given row means that symbol has no representation in the given character set.

In ASCII, all symbols from '0 through '37 are control characters whereas we use many of these codes for graphical symbols. The following list of differences between principal XGP users.

Symbol	SAIL	CMU & ISI	MIT	ASCII	
λ	'10				
VT	'13	'13		'13	Vertical tab
_	'30	'30	'137	'137	
~	'32	'32	'176	'176	
≠	'33	'33	'32		
↑	'136	'136	'13		
←	'137	'137	'30		
ESC	'175	'176	'33	'33	Escape (Altmode)
}	'176	'175	'175	'175	
BS	'177	'177, '10	'10	'10	Backspace
€			'136	'136	
DEL			'177	'177	Delete

APPENDIX C

Font File Format

A font file is a collection of up to 128 glyphs, usually representing a character set in some typeface. Parameters defining size and relative placement of a glyph are diagrammed below.




Figure C-1. Glyph Parameters

The *baseline* is the distance from the logical top of the glyph to the imaginary line on which the row of glyphs rests (though they may extend below this line). All glyphs in a given font file have the same height and baseline.

The format of font files is given below, based on 36 bit words. All distances are measured in pixels, which for our XGP are .005 inch.

WORDS '0-'177: XWD CHARACTER_WIDTH, CHARACTER_ADDRESS

The first 128 words of the file contain pointers in the right half to the word number where the corresponding characters definition begins. The left half of each word contains the character width (i.e. the logical width).

WORDS '200-'237:

'200	CHARACTER SET NUMBER	[unused by us]
'201	HEIGHT	Overall height of font (pixels).
'202	MAX WIDTH	Width of widest character (seldom used).
'203	BASELINE	Logical height above the baseline.
'204	COLUMN POSITION ADJUSTMENT	[Obsolete—should be left at 0]
'205	FONT CHARACTERISTICS	Reserved for future use
'206-'237		Reserved for future use.

WORDS 240-377: ASCIZ /FONT DESCRIPTION/

This text field of up to 480 characters should contain the full name of the font, who made it or where it came from, and possibly how it was created.

REMAINDER OF FILE

The remainder of the file consists of glyph definitions pointed to by the right halves of words '0-'177. Each glyph has the following format, using the FAIL Byte instruction.

BYTE (9) RASTER_WIDTH, CHARACTER_CODE (18) WORD_COUNT+2

WORD_COUNT+2 is total space devoted to this definition. If RASTER_WIDTH is 0, then use CHARACTER_WIDTH (above). RASTER_WIDTH is the physical width of the glyph, while CHARACTER_WIDTH is the amount the column counter is advanced after printing this glyph. This allows glyph to space more or less than their actual width.

BYTE (9) LEFT_KERN, ROWS_FROM_TOP (18) DATA_ROW_COUNT

LEFT_KERN is the amount by which the glyph overlaps the preceding character. Note that the right kern is not specified, since its value is implied by the other width parameters (LEFT_KERN, CHARACTER_WIDTH, and RASTER_WIDTH).

ROWS_FROM_TOP is the number of blank rows between the logical top and the top of the bit raster. This avoids having to store rows of zeros for glyphs that do not extend all the way to the top. DATA_ROW_COUNT is the number of rows in the bit raster, which need not extend to the logical bottom.

BLOCK WORD_COUNT

The balance of the glyph definition is the bit raster, with "0" representing "white" and "1" representing "black". If the CHARACTER_WIDTH is 36 or less, then the data are packed into words such that an ILDB gets the next scan line. Otherwise, each scan line starts at first available word boundary.

APPENDIX D

Other Places, Other Names

Stealing fonts is a lot like stealing jewels. To do it successfully, you have to know where to look and be able to recognize what you find. This appendix lists some of the classier joints on the ARPAnet and the names they use for fonts we have already, to aid in recognizing new fonts. If you are interested in questions of morality, see the "Font Dissemination Policy" in Section 1.

Font swiping is complicated by name changes. Some font file collections have been totally renamed so that they are "more orderly" in some sense. In order to use an imported font, you must convert it to our font file format (Appendix C). This process is complicated by the fact that there are currently something over 10 different font file formats in use at just four sites that we know of. FCOPY "knows" how to convert the standard MIT and CMU formats and generally does the right thing, but you may need some help from our non-resident expert, Tovar (TVR @SU-AI).

CMU

The AI group at Carnegie-Mellon University was the first to implement an XGP system and did much of the pioneering work in creating fonts. Lee Erman (Erman @CMUB) is a good contact.

The CMU font files are located in area [A730KS00] @CMUB. They generally use the same file names that we do, except that their extension is ".KST". To convert to SAIL format, use FCOPY with the /CMU switch.

MIT

The MIT AI group has been quite active both in creating and stealing fonts. Tom Knight (TK @MIT-AI) usually knows what is happening.

The MIT fonts are in areas FONTS and FONTS1 @MIT-AI and have ".KST" extensions. Alas, they use a different naming convention, of the form

<height><width><type>.KST

where the *height* is in XGP pixels, the *width* is a single letter ("F" or "V", denoting fixed or variable), and the *type* is a 1 to 3 letter descriptor, with G or R for Gothic (sans serif) or Roman (serif) and L, I, or B for light, italic, or bold respectively. For example, our NGB25 is called 25VGB there. "Special" fonts are marked with an "S" prefix. There is recent evidence that this tight little scheme is falling apart.

Known correspondences with our font names are listed below. To convert to our format, use FCOPY with the /MIT switch.

ISI

Pete Alfvín (ALFVIN @ISIA) is a contact at ISI. Their fonts are in directory <FONTS> @ISIx (where x = A, B, C, ...) and have ".XH" extensions. Alas, they too have succumbed to the renaming fad and use font names of the form

<type><height><modification>.XH

where *type* is generally the same as ours (e.g. "NGB" for News Gothic Bold), the *height* is in "points" (1/72 inch), and the *modification*, if given, may be "B" for boldface, "I" for italic, or "L" for lightface.

The ISI font file format is described in <XGP-DOC> FONTS.DOC @ISIB and <XGP-DOC> FONTS.FILEFORMAT @ISIB. It is supposedly identical to MIT's font format, with the exception of the "byte count" field (see their documentation file). To convert, try FCOPY with the /MIT switch. Who knows, it might work.

Cross Index

Here is a list of all SAIL fonts, in alphabetical order, together with corresponding CMU, MIT and ISI names. Blanks mean no corresponding file is known. The correspondence is not exact in all cases.

SAIL	CMU	MIT	ISI	Name
APL25	APL25	S25APL		APL symbols
ASTR25	ASTR25			Astrology
BASB30	BASB30	30VRB	BAS11B	Baskerville Bold
BASI30	BASI30	30VRI	BAS11I	Baskerville Italic
BASL30	BASL30	30VR	BAS11L	Baskerville
BASL35	BASL35			Baskerville
BAXB30	BASB30	30VRB	BAS11B	Baskerville Bold
BAXI30	BAXI30	30VRI	BAS11I	Baskerville Italic
BAXL30	BAXL30	30VR	BAS11L	Baskerville
BAXM30				Baskerville Mathematical
BAXS30				Baskerville Supplement
BDB30	BDB30	31VRB		Bodoni Bold
BDI25	BDI25	25VRI	BOD9I	Bodoni Italic
BDI30	BDI30			Bodoni Italic
BDI40	BDI40	40VRI	BOD15I	Bodoni Italic
BDJ20	BDJ20			Bodoni Mathematical
BDJ25	BDJ25			Bodoni Mathematical
BDR25	BDR25	25VR	BOD9	Bodoni
BDR25X	BDB25	25VRB		Bodoni Bold
BDR30	BDR30	31VR		Bodoni
BDR40	BDR40	40VR	BOD15	Bodoni
BDR66	BDR66	66VR		Bodoni
BEESIX	BUCK36	36VBEE		Bocklin
BUCK75	BUCK75	73VBEE		Bocklin
CHS50	CHS50	S50CHS		Chess pieces
CLAR30	CLAR35	37VRB		Clarendon
CLAR40	CLAR45			Clarendon
CNT57				Countdown
COR20		20FCOR		Courier
CORNER				Corner Decorations
CORON				Coronet Bold
CRTURZ		CRTURZ		Creatures
CTL25	CTL25	25VCTL	CTL9	Original City Lights
CYR25	CYR25	S25CYR		Light Cyrillic

SAIL	CMU	MIT	ISI	Name
CYR30	CYR30	S30CYR		Medium Cyrillic
FING		FING		Hands
FINGA		FINGA		Hand Alphabet
FIX13	FIX13	13FG	FIX5	Fix
FIX13X		13FGB		Fix Bold
FIX20	FIX20	20FG	FIX8	Fix
FIX25	FIX25	25FG	FIX9	Fix
FIX25X				Fix Bold
FIX30	FIX30	30FG	FIX11	Fix
FIX40	FIX40	40FG	FIX15	FIX
FIXR13				Rotated Fix
FIXR16	FIXR16	S16ROT		Rotated Fix
GACB25	GACB25	25FGB1		Gacham Bold
GACI25	GACI25	25FGI1		Gacham Italic
GACL16		16FG		Gacham
GACL18		18FG		Gacham
GACL22		22FG		Gacham
GACL25	GACL25	25FG1		Gacham
GERM35	GERM35	S35GER		Old German
GERM70	GERM70			Old German
GRFX25				Graphics
GRFX35				Graphics
GRK25	GRK25	S25GRK	GREK9	Greek
GRK30	GRK30			Greek Medium
GRKB30	GRKB30			Greek Bold
GRKB40	GRKB40			Greek Bold
GRKB50	GRKB50			Greek Bold
GRKL30	GRKL30	S30GRK	GREK11	Greek
GRKL40	GRKL40			Greek
GRKL50	GRKL50			Greek
HBRW25	HBRW25	S25HBR		Hebrew
HBRW40		S40HBR		Hebrew
ICE34				Old Icelandic
IPA25	IPA25	S25IPA		Phonetic
LPT				Line Printer
MATH25				Math
MATH30				Math
MATH40		QRP		Math
MATH50		S53SYM		Math
MATH55		SPLUNK		Math
METL		METL		Meteor
METLB		METLB		Meteor Bold
METLBI		METLBI		Meteor Bold Italic
METLI		METLI		Meteor Italic
METM		METM		Meteor
METMB		METMB1		Meteor Bold
METMBI		METMBI		Meteor Bold Italic
METMI		METMI		Meteor Italic

SAIL	CMU	MIT	ISI	Name
METS		METS		Meteor
METSB		METSB		Meteor Bold
METSBI		METSBI		Meteor Bold Italic
METSI		METSI		Meteor Italic
MICR25	MICR25	25VMIC	MICR9	Microgramma
MS25				Miscellaneous
MS30				Miscellaneous
NGB25	NGB25	25VGB	NGR9B	News Gothic Bold
NGB30	NGB30	31VGB	NGR11B	News Gothic Bold
NGB40	NGB40			News Gothic Bold
NGI20		20VGI	NGR9I	News Gothic Italic
NGI25	NGI25	20VGI	NGR9I	News Gothic Italic
NGR13	NGR13	13VG	NGR5	News Gothic
NGR20	NGR20	20VG	NGR8	News Gothic
NGR25	NGR25	25VG	NGR9	News Gothic
NGR30	NGR30	31VG	NGR11	News Gothic
NGR40	NGR40	40VG	NGR15	News Gothic Medium
NGR40L	NGR40L	40VGL	NGR15L	News Gothic
NONL		NONL		Nonie
NONLB		NONLB		Nonie Bold
NONLBI		NONLBI		Nonie Bold Italic
NONLI		NONLI		Nonie Italic
NONM		NONM		Nonie
NONMB		NONMB		Nonie Bold
NONMBI		NONMBI		Nonie Bold Italic
NONMI		NONMI		Nonie Italic
NONS		NONS		Nonie
NONSB		NONSB		Nonie Bold
NONSBI		NONSBI		Nonie Bold Italic
NONSI		NONSI		Nonie Italic
OLDENG		30VXMS	OLDENG	Old English
PLAYBI	PLAYBI	36VPLY		Playbill
QUUV25		25VQXB		Quux Variable Bold
QUUX25		25FQXB		Quux Fixed Bold
SAIL25		25FR		Delegate
SCAN30				Scandinavian
SET1		33FR		Set1
SETII		33FRI		Set1 Italic
SGN114	SGN114	114VSG		Sign
SHD40	SHD40	40VSHD	SHD15	Shadow
SIGN57	SIGN57	57VSGN	SIGN21	Sign
STA200		STA200		Old Stanford Seal
STAN2		STA2		Newer Stanford Seal
SUB		SUB	Subscript9	Subscript
SUP		SUP	Superscript9	Superscript
TNG112				Tengwar
TNG40		TENGWR	TENGWR	Tengwar
TNG75				Tengwar

SAIL	CMU	MIT	ISI	Name
XMAS25	XMAS37	37VXMS	XMAS9	Old English
XMAS40	XMAS43	43VXMS	XMAS14	Old English
ZERO30				Zero Width Accents

APPENDIX E

Regular Font Size Index

Samples of variable and fixed width regular fonts (no specials) are given here in order of increasing size. For an alphabetical index, see Appendix D.

Variable Width

Height

File Page

56

SAILON-74

Find a Font

Height

File Page

Height

File Page

58

SAILON-74

Find a Font

Height

File Page